

Marble Look Stoneware



13 material inspirations




•9 sizes available that combine vast architectural design capabilities with outstanding performance

4 surfaces natural, structured, silk, lux

4 uses, floor, wall, Indoor, Outdoor

Various decors and mosaics



Style and contemporary eternal elegance

All Saints Marble is the stoneware collection that translates the elegance of the rarest, most classical varieties of marble into design of contemporary beauty.

Achieved through the painstaking selection of raw materials and exclusive technologies, All Saints Marble reinterprets thirteen marble varieties of amazing beauty, offering them in different surfaces, a vast range of combinations and infinite architectural possibilities.






M³ 9Y Allmarble Imperiale Rett. 60x120







All Saints Marble - St Valentine Lux Rett. 75x150

All Saints Marble St Valentine Rett. 60x120




MARBLE LOOK



All Saints Marble - St Lucy Rect. 30x60 All Saints Marble - St Lucy Rect. 60x120





All Saints Marble - St Ceccardus Polished Rect. 75x150






All Saints Marble - St George Polished Rect. 30x120 All Saints Marble - St Peter Polished Rect 60x120 All Saints Marble - St Nicholas Polished Rect. 60x120

All Saints Marble - St George Polished Rect. 60x120 All Saints Marble - St Patrick Polished Rect. 60x120







All Saints Marble - St Lucy Rect. 60x120












All Saints Marble - St Catherine Polished Rect. 75x150 With 20 x 1 20 Wood-effect Tiles






All Saints Marble - St Martin Polished Rect. 75x150

D



All Saints Marble - St Lucy Polished Rect. 60x60 All Saints Marble - St Martin Polished Rect. 60x60 All Saints Marble - St Lucy Polished Rect. 60x120



All Saints Marble - St Lucy Polished Rect. 75x150






All Saints Marble - St Andrew Polished Rect. 90x90 All Saints Marble - St Laurent Polished Rect. 90x90 Wood-effect tiles 25x150








All Saints Marble - St Laurent Polished Rect. 90x90



All Saints Marble - St Theresa Polished Rect. 60x60 All Saints Marble - St Laurent Polished Rect. 60x60






All Saints Marble - St Peter Rect. 30x60 All Saints Marble - St Peter Rect. 30x120 All Saints Marble Mosaic 3D Nat/Pol 30x30

All Saints Marble - St Peter 21x18,2 All Saints Marble - Decor Geometric 21x18,2 All Saints Marble - St Laurent Rect. 90x90







All Saints Marble - St Nicholas Polished Rect. 60x120 All Saints Marble - St Theresa 21x18,2 All Saints Marble - Mosaic 3D Nat/Pol 30x30 All Saints Marble - St Theresa Rect. 60x120

All Saints Marble - St Theresa 21x18,2







Techs & Specs




Colourbody Fine Porcelain Stoneware • Porcelain Stoneware

Natural/Matt 75x150 · 75x75 · 60x120 · 30x120 60x120+40x120-20mm Polished 75x150 · 75x75 · 60x120 · 30x120 · 90x90 · 60x60

Rectified Mono-caliber

Natural/Matt Pprcelain 21x18,2



Compliant with UNI EN 14411 - G Bla




St Ceccardus

G Nat. F StLucy G Nat F



St Clare


St Catherine



F










G F

Nat.



F St Nicholas













St Patrick



F Pol

Colour-body Fine Porcelain Stoneware • Porcelain Stoneware

Sizes





75x75 Polished St Ceccardus Polished Rect. St Lucy Polished Rect. St Martin Polished Rect. St Clare Polished Rect. St Valentine Polished Rect.

60x120 Silk St Andrew Silk Rect. Sat Teresa Silk Rect. St Peter Silk Rect.



90x90 St Andrew Rect. St Theresa Rect. St Peter Rect. 75x150 Polished St Ceccardus Polished Rect. St Lucy Polished Rect. St Martin Polished Rect. St Clare Polished Rect. St Valentine Polished Rect St Catherine Polished Rect.



St Ceccardus Rect. St Lucy Rect. St Martin Rect. St Clare Rect. St Valentine Rect. St Catherine Rect. St Andrew Rect. St Peter Rect. St George Rect. St Patrick Rect. St Laurent Rect.

60x120 Structured St Andrew Struct. Rect. St Theresa Struct. Rect. St Peter Struct. Rect. St Patrick Struct. Rect. St Laurent Struct. Rect.



90x90 Polished St Andrew Polished Rect. St Theresa Polished Rect. St Peter Polished Rect. St Laurent Polished Rect.



75x75 St Ceccardus Rect. St Lucy Rect. St Martin Rect. St Clare Rect. St Valentine St Catherine Rect.



60x120 Polished St Ceccardus Polished Rect. St Lucy Polished Rect. St Clare Polished Rect. St Clare Polished Rect. St Valentine Polished Rect. St Catherine Polished Rect. St Andrew Polished Rect. St Theresa Polished Rect. St George Polished Rect. St George Polished Rect. St Patrick Polished Rect. St Laurent Polished Rect. St Nicholas Polished Rect.

40x120-20mm Structured St Theresa20 40x120 Rect. St Patrick 20 40x120 Rect.



90x90 Silk St Andrew Silk Rect. St Theresa Silk Rect. St Peter Silk Rect. Sizes

30x120 St Andrew Rect. St Theresa Rect. St Peter Rect. St George Rect. St Patrick Rect. St Laurent Rect.



60x60 St Ceccardus Rect. St Lucy Rect. St Martin Rect. St Clare Rect. St Valentine Rect. St Catherine Rect. St Andrew Rect. St Peter Rect. St Peter Rect. St George Rect. St Patrick Rect. St Laurent Rect.



St Andrew Polished Rect. St Theresa Polished Rect. St Peter Polished Rect. St George Polished Rect. St Patrick Polished Rect. St Laurent Polished Rect.



60x60 Polished St Ceccardus Polished Rect. St Lucy Polished Rect. St Martin Polished Rect. St Clare Polished Rect. St Valentine Polished Rect. St Catherine Polished Rect. St Andrew Polished Rect. St Theresa Polished Rect. St George Polished Rect. St George Polished Rect. St Patrick Polished Rect. St Laurent Polished Rect. St Nicholas Polished Rect



* The decor tile may only be installed as shown in the diagram

St Theresa / St Peter / St Laurent



Décor Pol 60x60 Rect.*



30x120 Silk St Andrew Silk Rect. St Theresa Silk Rect. St Peter Silk Rect.

21x18,2MMHSAllmarble StatuarioMMHAllmarble AltissimoMMHUAllmarble TravertinoMMHVAllmarble Saint Laurent

30x60 St Ceccardus Rect. St Lucy Rect. St Martin Rect. St Clare Rect. St Clare Rect. St Catherine Rect. St Catherine Rect. St Andrew Rect. St Theresa Rect. St Peter Rect. St George Rect. St Patrick Rect. St Laurent Rect.



StAndrew/StGeorge/StNicholas



Decor Pol 60x60 Rect.*

Colour-body Fine Porcelain Stoneware • Porcelain Stoneware



Mosaic StCerccardus 30x30(2)



StLucy

30x30(2)

Mosaic

StLucy

Polished

30x30(2)

Mosaic

StTheresa

30x30(2)

StTheresa/

Mosaic

St Theresa Polished

Mosaic St Valentine 30x30(2)

10

Mosaic

Polished

30x30(2)

Mosaic

St George

StGeorge/

St George Polished

30x30(2)

St Valentine

Mosaic St Catherine 30x30(2)

Mosaic

Polished

30x30(2)

Mosaic

St Peter

30x30(2)

StPeter/


Mosaic

St Peter 3D

30x30Nat/Pol(1)

St Catherine

Mosaic St Clare 30x30(2)



Mosaic **St**Martin 30x30(2)



Fascia 3D

15x30Pol

Natural

St Lucy

St Clare

. St Peter

Packing



Decor21x18,2

Tozzetto 3_

15x15Pol 🕑

StPeter/

StPatrick

Decor21x18,2

Decor21x18,2



6

StTheresa Polished


Fascia 3D

15x30Pol



Tozzetto 3D 15x15Pol 🌈

Polished



Special Trims St Ceccardus Stlucy St Martin St Clare St Valentine St Catherine St Andrew StTheresa St George . St Peter . St Patrick StLaurent St Nicholas



Mosaic StCeccardus Polished 30x30(2)



Mosaic St Andrew 30x30(2)

StAndrew/ StAndrew Polished



Mosaic StAndrew3D 30x30Nat/Pol(1)

V Mosaic StTheresa 3D 30x30Nat/Pol(1) 30x30Nat/Pol(1)

StGeorge 3D

6 Mosaic

St Patrick 3D



Mosaic

StMartin

Polished

30x30(2)

30x30(2)



30x30Nat/Pol(1)

Mosaic StLaurent

75x150Rectified	2	2,25	59,30	21	47,25	1.245,40	10,5	60x60 Décor Polishe
75x150 Rectified Polished	2	2,25	59,30	21	47,25	1.245,40	10,5	30x30 Mosaic
60x120 Rectified	2	1,44	35,35	36	51,84	1.272,47	10,5	30x30 Mosaic
60x120 Rectified Polished	2	1,44	35,35	36	51,84	1.272,47	10,5	30x30 Mosaic Polish
60x120 Rectified Silk	2	1,44	35,35	36	51,84	1.272,47	10,5	30x30 Mosaic 3D
60x120 Structured	2	1,44	35,35	36	51,84	1.272,47	10,5	1 5x30 Fascia Polishe
40x120-20mm Struct	1	0,48	22,99	48	23,04	1.103,26	20	15x15Tozzetto Po
30x120 Rectified	3	1,08	27,85	48	51,84	1.248,00	10,5	21x18,2 Decor
30x120 Rectified Polished	3	1,08	27,07	48	51,84	1.299,57	10,5	32,5x120x4 Step Tile
30x120 Rectified Silk	3	1,08	27,07	48	51,84	1.299,57	10,5	32,5x120x4 Step Tile
90x90 Rectified	2	1,62	40,99	24	38,88	984,00	10,5	7x75 Skirting Tile
90x90 Rectified Polished	2	1,62	40,99	24	38,88	984,00	10,5	7x75 Skirting Tile Pol
90x90 Rectified Silk	2	1,62	40,99	24	38,88	984,00	10,5	7x60 Skirting Tile
75x75 Rectified	2	1,13	27,00	42	47,25	1.134,18	10	7x60 Skirting Tile Pol
75x75 Rectified Polished	2	1,13	27,50	42	47,25	1.154,50	10,5	
60x60 Rectified	3	1,08	25,05	40	43,20	1.001,15	10,0	
60x60 Rectified Polished	3	1,08	27,00	40	43,20	1.080,00	10,5	
30x60 Rectified	5	0,90	22,21	48	43,20	1.066,23	10,0	
21x18,2	16	0,46	9,64	100	45,86 9	263,88	9,5	

38

Mosaic St Patrick 30x30(2)





V

StPatrick/ StPatrickPolished StPeterPolished

Mosaic

St Clare

Polished

30x30(2)





St Peter Polished



Fascia 3D 15x30Pol



15x15Pol 🖉

		\leq	5
BATTIS LUX 7>	TISCOPA BTLUX 7x60 (6)		DONELUX x120x4(15)
√			V
. √	\checkmark		√
. 1	\checkmark		√
. 1	\checkmark		√
. v	\checkmark		√
- 1	\checkmark		√
•	 		√ ·
•	\checkmark		√ ·
•	\checkmark		√ ·
-	\checkmark	·	· · ·
	\checkmark		√
	\checkmark		√
-	\checkmark		V
Ĩ	III		

Pieces Sq. Mt Kg

Thislas

							INICKNESS
ned	3	1,08	23,07	40	43,20	923,08	10,5
	4	0,36	8,05	80	28,80	643,68	10,0
••••	4	0,36	8,57	80	28,80	663,68	10,0
shed	4	0,36	8,57	80	28,80	663,68	10,5
	4	0,36	7,60	80	28,80	546,83	10,5
hed	4	0,18	4,40	-	-	-	
Polished	8	0,18	4,79	-	-	-	
	16	0,46	9,67	100	45,86	967,28	9,5
le	2	0,78	20,32	-	-	-	
le Pol	2	0,78	20,32	-	-	-	
	13	9,75 ml	16,67	-	-	-	10,5
ol	13	9,75 ml	17,11	-	-	-	10,5
	15	9,00 ml	15,08	-	-	-	10,0
ol	13	7,8 ml	13,84	-	-	-	10,5

Box

Sq. Mt

Кg

MARBLE LOOK

All Saints Marble20

Colour-body Fine Porcelain Stoneware

🕀 Outdoor 40x120-20mm


Rectified Mono-caliber

* V₃ V₂ R11 B R10 B St Patrick 20 BCR ₿>0,40 St Theresa ं D-COF >0,42 andulurr PTV>36 D-COF >0,60 s010545-0175mm[:]



Compliant to UNI EN 14411 - G Bla

Sizes





G



All Saints Marble - St Patrick 20 40x120

All Saints Marble-StTheresa20 40x120

G

Special Trims Copingti**l**e 40x120 Rectified L-edging tile 40x120x4 Non-drip edge On 3 sides On the 2 long sides StTheresa20 $\sqrt{}$ $\sqrt{}$ $\sqrt{}$ $\sqrt{}$ St Patrick20 $\sqrt{}$ $\sqrt{}$ $\sqrt{}$ $\sqrt{}$ Special Trims Stepti**l**e 40x120


NEW Edges produced by cutting + assembly On long side only Long side + L Long side + R Allmarble Statuario20 $\sqrt{}$ V V Allmarble Travertino 20 $\sqrt{}$ V V

Special Trims		Risertile 20x120	
			C DX/SX RIBALTABILE
Edge shaping	Noshaped	Both short sides	R/L reversible
Allmarble Statuario20	\checkmark	\checkmark	V
Allmarble Travertino 20	1	V	7

All special pieces are supplied to order and can be matched with the rectified plain tiles. Packaging is calculated on the basis of the quantity ordered

Packing	Pieces	Sq.Mt	Kg	Box	Sq.Mt	Kg	
							Thickness
40x1 20 - 20mm Rett.	1	0,48	22,99	48	23,04	1.103,26	20
40x120x4 Elemento L (20mm)	1	0,48	26,93	-	-	-	-





ALLMARBLE

Simbols

Image: Section in the sectin in the section in the section in th				
Image: Construction of Constructin Construction of Construction of Construction	Glossy flooring	2mm		CCC Certification
Windtrived itting Moderate variation - vs significant variation Understand variation - vs significant variation Windtrived itting Insidue, potential is offer and colour from the lot lie within the same production trun. the colour from the lot lie within the same production trun. the colour from the lot lie within the same production trun. the colour from the lot lie within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the lot lies within the same production trun. the colour from the same production trun. the colour from the same production trun. the colour from the same production trunce that and products can be viewed of uncertainty with same production trunce that and products can be viewed of uncertainty with same products for the lot with same prod		V ₂	texture and pattern within the same production run •	guarantee: it confirms that the products delivered, marked with the QB and UPEC logos, comply with the prerequisites of the NF EN 14411 standard in accordance with the current certification rules and that they have the performance characteristics specified in the CSTB (Centre Scientifique et Technique du Bâtiment - Scientific and Technical Centre for Building) "Technical Specifications for the UPEC Classification of Ceramic Floor
 Post proof Post proof	Matt wall tiling	V ₃	in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed	U: resistance to foot traffic wear P: mechanical resistance to the shifting of movable and fixed objects
 Deep abrasion resistance Deep abrasion resistance Sip resistance. Flooring of work environments and operating from the outside or access not protected by doornats. Average stress abrasive wear. Commercial suitable for any room of a house without direct access not protected by doornats. Average stress abrasive wear. Adderida suitable for situations of house and light-traffic Mean coefficient of friction DAN N°230 14/0/89 Sip resistance Note access not protected by doornation and operating in the catalogue are environments without protection against scratching, both merely indications on the sevent on and use the researching, both merely indications on the sevent on forts environmental indoor and for the traffic cycle. From extraction against scratching, both merely indications on the attraction and processing of the raw material structure in the attraction and processing of the raw material structure in the attraction of applications on the sevent on and must be referred to the attraction of forst-resistant products we recommend indoor and for the type of the attraction credition of the sevent on and must be referred to the attraction of forst-resistant products we recommend indoor and for the type of the attraction credits. Sip resistance Sip resistance attraction of spiration of frist-resistant products we recommend indoor attraction of processing of the attraction credits. Sip resistance attraction of spiration of forst-resistant products we recommend indoor of the diffication credits. Sip resistance attraction of spiration of forst-resistant products we recommend indoor of for the traction of process in the catalogue are diffication of forst-resistant products we recommend indoor of for the tracte of the tiles and for the type of the catalogue of the catalogue of the texpe of th	Frost proof		be taken from more than one box at a time to guarantee a	C: resistance to commonly used chemicals
R Slip resistance. Flooring of work environments and operating If on the outside or access not protected by doormats. Average stress abrasive wear. Slip resistance. Flooring of work environments and operating If on the outside or access not protected by doormats. Average stress abrasive wear. R Slip resistance. Flooring of work environments and operating If on the outside or access not protected by doormats. Average stress abrasive wear. If on the outside or access not protected by doormats. Average stress abrasive wear. If on the outside or access not protected by doormats. Average stress abrasive wear. Mean coefficient of friction D/M.N*236 14/6/89 Materials suitable for rooms subject to medium-heavy abrasion, such as defached houses and light-traffic commercial buildings. These products have been sourced with regard to their environmental impact throughout their life cycle, for an approaches of the cycle and processing of the raw metarials finance environmental without protection against scratching, both public and private. These products have been sourced with regard to their environmental impact throughout the life out of the cycle, for an approaches of the cycle and processing of the raw metarials finance international standards, have been published in the cordinace with he ISO 1400 Systems Slip resistance. Reference standard • ASISI 137.1:2012 Some skirfing files are not first-resistant products we recommend the creating of joints', or laying joints, or a suitable dimension for the dimensional foon of joints', or laying joints, or a suitable dimension for the dimensional foon creating specific. Slip resistance Reference standard • ANSI 137.1:2012 Fo	Deep abrasion resistance			
Mean coefficient of friction DM N°236 14/6/89 Materials suitable for situations of relatively hard abrasion, such as detected houses and light-traffic commercial buildings. These products have been sourced with regard to their environmental impact throughouther it flog cycle, from extraction and processing of the raw materials through to the recycling of demolition spoil. The full does eries building to the result of the security of the raw materials through to the recycling of demolition spoil. The full does eries building of the raw materials through to the recycling of the raw materials through		F	from the outside or access not protected by doormats.	some of the world's most rigorous nd comprehensive standards for low emissions of volatile organic compounds (VOCs) into indoor air. For further information:
 Mean coefficient of triction DM. N°230 14/6/89 Mean coefficient of triction DM. N°230 14/6/89 Materials suitable for situations of relatively hard abrasion in environmental impact throughout their life ovcile, from extraction and processing of the raw materials through to the recycling of demolition spoil. The findings of this LCA (Life Cycle Assessment), performed in accordance with the ISO 14040 series international standards, have been published in the Environmental Without protection against scratching, both public and private. Silp resistance. The PTVs stated in the catalogue are defermined using slider 96. Reference standard • ANSI 137.1:2012 Silp resistance Reference standard • ANSI 137.1:2012 	4	G	abrasion, such as detached houses and light-traffic	
 applications only. skitting: applications only. skitting: applications only. Skitting: skitt	Slip resistance	Η	environments without protection against scratching, both	environmental impact throughout their life cycle, from extraction and processing of the raw materials through to the recycling of demolition spoil. The findings of this LCA (Life Cycle Assessment), performed in accordance with the ISO 14040 series international standards, have been published in the Environmental Product Declaration (ISO 14025 and EN 15804),
determined using slider 96. specific relevant standard. numbur Reference standard • BSEN13036-4:2011 For the installation of frost-resistant products we recommend the creation of "joints", or laying joints, of a suitable dimension for the dimensional tolerance of the tiles and for the type of Slip resistance use required. The execution of holes and precision cuts on reference standard • ANSI 137.1:2012 tiles in porcelain stoneware must be made using specific	_	SKIRTINGTILE BC		
 Slip resistance Reference standard • ANSI 137.1:2012 the creation of "joints", or laying joints, of a suitable dimension for the dimensional tolerance of the tiles and for the type of use required. The execution of holes and precision cuts on tiles in porcelain stoneware must be made using specific 	determined using slider 96.		specific relevant standard.	
			the creation of "joints", or laying joints, of a suitable dimension for the dimensional tolerance of the tiles and for the type of use required. The execution of holes and precision cuts on	

TECHS & SPECS



Branches at:

Kemsing E6 Chaucer Business Pk Watery Lane TN15 6YP 01732 763167

Beckenham 367 Blandford Road BR3 4NW 020 8658 7272

> West Malling 51 HighStreet ME19 6QH 01732 848250