



QUARRY

QUARRY

QUARRY

Timeless Style

Stones with fossils are rare and precious treasures, forged by nature and vigilantly guarded for millennia, which convey an extraordinary charm to contemporary eyes. The surfaces of Quarry interpret these evocative materials, broadening the material language of interior design and revealing textures with subtle veins that impart an alternative perception of the ceramic material through the use of intense colours and elegant hues.

The versatile and exquisitely detailed aesthetic lends an air of luxury and refinement in the polished mirror finish, and conveys a feel of contemporary and stylish hospitality in the natural finish.



A living space open to creativity which reveals the interests of those who live there, of those who have considered every single detail. Poignant surroundings permeated by the uniqueness and warmth of everyday life.



Lines Piombo 30x120 rect





Plombo 60x120 rect - Lines Perla 30x120 rect





Piombo 60x120 rect - Lines Piombo 30x120 rect



Piombo 60x120 rect - Lines Piombo 30x120 rect

The moment when a detail catches the eye, captures the attention and kindles the curiosity to discover colours, sensations. The desire to capture an unforgettable place forever.



Perla 100x100 polished-rect - Mosaic Basket Piombo 30x30 polished-rect



Perla 100x100 polished-rect - Mosaic Basket Perla 30x30 polished-rect



Perla 100x100 polished-rect



Perla 100x100 polished-rect - Mosaic Basket Perla 30x30 polished-rect

The soft elegance of morning light lends a burst of positive energy to your day. The warm embrace of a cosy environment is the beginning of every important project.



Mosaic Lozenge Bruno 30x30 polished-rect



Bruno 60x120 polished-rect - Bruno 30x60 polished-rect - Wall04 comp. 2pz 120x120 rect
(collezione WOWall Factor)



Bruno 60x120 polished-rect





Bruno 30x60 polished-rect - Crema 30x60 polished-rect - Mosaic Lozenge Bruno 30x30 polished-rect



Bruno 30x60 polished-rect - Crema 30x60 polished-rect

The etherealness of an idea that takes shape and becomes a concrete reality.

The beauty that comes from simplicity, oblivious to the passage of time, and evokes profound emotions.



Insert Gold Crema 60x120 polished-rect



Crema 100x100 polished-rect - Insert Gold Crema 60x120 polished-rect



Crema 100x100 polished-rect - Insert Gold Crema 60x120 polished-rect

...GIVE SHAPE TO
YOUR IDEAS

Five colour variations, eleven sizes and two surface finishes, which may be freely combined to design floors and clothe walls in contemporary spaces. QUARRY embodies creativity and inspires infinite installation layouts, through different geometric patterns and elegant and original finishes that broaden the range of decorative possibilities, to customize and complete any space.



2

SURFACE FINISHES

QUARRY

The sober elegance of the natural surface and the refined sheen of the semi-polished surface portray the dual nature of the QUARRY project, thus extending its possibilities of use and its expressive potential. Diverse ceramic renderings of a versatile and timeless aesthetic, the two surfaces lend themselves to use on floors and walls, and are particularly suited to interior design in residential and commercial spaces.

... DECORATE
YOUR HOME

The QUARRY surfaces, exquisitely detailed and intensely distinctive, prompted us to conceive original decorative proposals, which would enhance the colours in the range and elevate the installation layouts.

Prized elements, such as gold, are complemented by minimal proposals with a more contemporary flavour and floral stylizations. Perfectly suited to decorating any room in your home, they enhance any and all types of furnishings.



Perla 60x120 rect - Lines Gold Perla 60x120 rect



Piombo 60x60 polished-rect - Insert Décor Piombo 60x60 polished-rect



Lines Bruno 30x120 rect - Crema 60x120 rect



Insert Gold Perla 60x120 polished-rect

VARIOUS COLOURS
MULTIPLE PATTERNS

We revive all the beauty of colours, nuances, natural veining and the exclusive appeal of marble in this collection. The astonishing graphic variations in the sheets allow surroundings of great charm and scenic impact, ideal for both residential and commercial premises. QUARRY comes in five different colours interpreting various furnishing styles:



Marquina, an alluring black; Fior di Bosco, elegant and feminine; Cappuccino, vintage refinement;




QUARRY features 8 different graphics for the 100x100 size, 12 for the 60x60 and 80x80, 6 for the 60x120 and 24 for the 30x60 size, to create a varied and original ensemble.


4 SIZES

100x100 _ 60x120 _ 60x60 _ 30x60

8,5 mm
thickness



10 mm
thickness



QUARRY



PIOMBO



100x100 polished-rect

8,5 mm
thickness

PERLA




100x100 polished-rect


8,5 mm
thickness



60x120 polished-rect



60x120 rect




Insert Décor Piombo
60x60 polished-rect


10 mm
thickness



60x120 polished-rect




60x120 rect




Insert Décor Perla
60x60 polished-rect


10 mm
thickness




60x60 polished-rect




60x60 rect



Lines Piombo
30x120 rect



60x60 polished-rect



60x60 rect




Lines Perla
30x120 rect



30x60 polished-rect



30x60 rect



Lines Piombo
30x60 rect



30x60 polished-rect




30x60 rect




Lines Perla
30x60 rect

Decors




Insert Gold Piombo
60x120 polished-rect



Lines Gold Piombo
30x120 rect



Insert Gold Perla
60x120 polished-rect



Lines Gold Perla
30x120 rect

QUARRY



BRUNO



100x100 polished-rect

8,5 mm
thickness

CREMA



100x100 polished-rect

8,5 mm
thickness



60x120 polished-rect



60x120 rect



Insert Décor Bruno
60x60 polished-rect

10 mm
thickness



60x120 polished-rect




60x120 rect




Insert Décor Bruno
60x60 polished-rect


10 mm
thickness




60x60 polished-rect




60x60 rect




Lines Bruno
30x120 rect




60x60 polished-rect




60x60 rect



Lines Crema
30x120 rect



30x60 polished-rect



30x60 rect




Lines Bruno
30x60 rect



30x60 polished-rect




30x60 rect




Lines Crema
30x60 rect


Decors




Insert Gold Bruno
60x120 polished-rect



Lines Gold Bruno
30x120 rect



Insert Gold Crema
60x120 polished-rect



Lines Gold Crema
30x120 rect

QUARRY



Mosaics

30x30 - Sheet




Mosaic Perla
Ind pieces 3x3
polished-rect

Mosaic Perla
Ind pieces 3x3
rect



Mosaic Lozenge Perla
30x30 polished-rect

Mosaic Lozenge Perla
30x30 rect




Mosaic Crema
Ind pieces 3x3
polished-rect

Mosaic Perla
Ind pieces 3x3
rect



Mosaic Lozenge Crema
30x30 polished-rect

Mosaic Lozenge Crema
30x30 rect




Mosaic Bruno
Ind pieces 3x3
polished-rect

Mosaic Perla
Ind pieces 3x3
rect



Mosaic Lozenge Bruno
30x30 polished-rect

Mosaic Lozenge Bruno
30x30 rect



Mosaico Piombo
Ind pieces 3x3
polished-rect

Mosaic Perla
Ind pieces 3x3
rect



Mosaic Lozenge Piombo
30x30 polished-rect

Mosaic Lozenge Piombo
30x30 rect

10 mm
thickness



Mosaic Basket Perla
30x30 polished-rect

Mosaic Basket Perla
30x30 rect



Mosaic Basket Crema
30x30 polished-rect

Mosaic Basket Crema
30x30 rect



Mosaic Basket Bruno
30x30 polished-rect


Mosaic Basket Bruno
30x30 rect



Mosaic Basket Piombo
30x30 polished-rect

Mosaic Basket Piombo
30x30 rect

Trims




Skirting Tile
6,5x100 polished-rect


8,5 mm
thickness



Skirting Tiles
6,5x60 rect
6,5x60 polished-rect



Straight Edge Step Tile
30x120x3,3 rect



Square Edge Step Tile
30x120x3,3 rect

10 mm
thickness

Complete range

42

Packing


	BOX			PALLET		
	PCS	SQM	KGS	BOXES	SQM	KGS
100x100 polished-rect	1	1,00	20,65	42	42,00	900
60x120 rect / polished-rect	2	1,44	33,50	30	43,20	1.021
30x120 rect	4	1,44	33,50	24	34,56	820
60x60 rect / polished-rect	3	1,08	25,20	40	43,20	1.024
30x60 rect / polished-rect	6	1,08	25,20	40	43,20	1.024

TECHNICAL NOTES

All sizes are nominal. We reserves the right to modify the information and the characteristics illustrated in this catalogue (which are in any case not legally binding) at any moment. The colours and appearance features of the products are as close as possible to reality, within the limitation of the printing process.











LAYING SUGGESTIONS

Lay some pieces of product (at least 3 sqm) to check the overall effect. Lay the material taking it from several boxes and carefully check its size accuracy, shade and material sorting. • Suggested laying using same color. For rectified tile minimum 2mm grout joint is recommended both for same size and modular pattern installations. • However, the designers has to establish the correct way of application of the tiles depending on the structure and the foreseen utilization of the floor.



When laying, you are recommended not to stagger the strips by more than 25% of the length.

TECHNICAL FEATURES GLAZED FINE PORCELAIN STONEWARE - ISO 13006 Bl_a GL .
Physical chemical properties

		Standard of test	Mean value	
	Dimensions	ISO 10545 - 2	QUARRY	
	Length and width		W	$\pm 0,5\% \pm 2 \text{ mm}$
			10 test	$\pm 0,5\% \pm 2 \text{ mm}$
	Thickness		$\pm 5\% \pm 0,5 \text{ mm}$	
	Straightness of sides		$\pm 0,3\% \pm 1,5 \text{ mm}$	
	Rectangularity		$\pm 0,3\% \pm 1,5 \text{ mm}$	
Surface flatness	ISO 10545-2	$\pm 0,3\% \pm 1,5 \text{ mm}$		
	ASTM C 485	Warpage diagonal/edge $\pm 0,4\%$		
	Water absorption	ISO 10545 - 3	$E \leq 0,3 \%$ Bl _a GL	
	Frost resistance	ISO 10545 - 12	Resistant	
	Scratch hardness (MOHS scale)	EN 101	MOHS > 6	
	Resistance to surface abrasion of glazed tiles	ISO 10545 - 7	Class 4	
	Resistance to household chemicals	ISO 10545 - 13	Class A	
	Resistance to low concentrations of acids and bases		Class LA - HA	
	Resistance to stains of glazed tiles	ISO 10545 - 14	Class 5	
	Bending strength	Modulus of rupture	$R \geq 35 \text{ N/mm}^2$	
		Breaking of rupture	$S \geq 1300 \text{ N}$	
	Anti-slip properties / Static coefficient of friction	DIN 51130 (no lux)	R10	
		B.C.R.A. REP. CEC. 6/81 (no lux)	$0,40 \leq P \leq 0,74$	
		DIN 51097 (no lux)	Class B	
		DCOF Acu Test (no lux)	$P \geq 0,42$	

EN 14411:2012

Dry pressed ceramic tile,
with water absorption $E_s \leq 0,5\%$,
for internal and external floorings.

©



Head Office
E6 Chaucer Business Pk
Watery Lane
KEMSING
TN15 6YP
01732 763167

367 Blandford Road
BECKENHAM
BR3 4NW
020 8658 7272

51 High Street
WEST MALLING
ME19 6QH
01732 848250

www.rovic.co.uk

